

Amendments to the Drawings:

Please amend the drawings as described below and as shown in the attached replacement sheets, submitted in accordance with 37 C.F.R. 1.121(d). No new matter is believed added by this amendment.

Replacement sheet 10/15, which includes Fig. 8, replaces original sheet 10/15 including Fig 8. Reference numeral 81 and associated lead line have been added to bring this formal drawing into correspondence with the originally-filed informal drawing. Changes have been made to the lead line associated with reference numeral 88 to bring this formal drawing into correspondence with the originally-filed informal drawing.

Replacement sheet 13/15, which includes Figs. 14 and 15, replaces original sheet 13/15 including Figs. 14 and 15. Reference numeral 146 and the associated lead line have been deleted from Fig. 14 because this numeral is not mentioned in the specification. Reference numeral 143 has been corrected to numeral 148, as shown in the originally-filed informal drawings.

Replacement sheet 14/15, which includes Figs. 16 and 17, replaces original sheet 14/15 including Figs. 16 and 17. Reference numeral 182 and the associated lead line have been deleted from Fig. 16 because this numeral is not mentioned in the specification.

Attachment: Replacement Sheets 10/15, 13/15 and 14/15

Respectfully submitted,

/James F. Crittenden, Reg. No. 39,560/
James F. Crittenden
Registration No. 39,560
Agent for Applicant

Medtronic Vascular, Inc.
3576 Unocal Place
Santa Rosa, CA 95403
Facsimile No.: (707) 543-5420